

Fig. 2
Prior Art




Fig. 5





Fig. 3

00759075 011001

| | | | | |
|--|--|---|---|--|
| <p>68</p> <p>DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL</p> <p>INSTRUCTION REFILL: EXPIRES: CHG:</p> | <p>AUDIT LOG ← ADDITIONAL LABEL →</p> | <p>70</p> <p>DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL</p> <p>INSTRUCTION REFILL: EXPIRES: CHG:</p> | | |
| <p>DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL</p> <p>INSTRUCTIONS REFILL: EXPIRES:</p> | <p>BOTTLE ← ADDITIONAL LABEL →</p> | <p>DR. NAME PATIENT NAME DOSES: PHARMACEUTICAL</p> <p>INSTRUCTIONS REFILL: EXPIRES:</p> | | |
| <p>32</p> <table border="1"> <tr> <td data-bbox="170 579 795 1395"> <p>GENERIC NAME:</p> <p>COMMON USES:</p> <p>HOW TO USE THIS MEDICINE:</p> <p>CAUTIONS:</p> <p>POSSIBLE SIDE EFFECTS:</p> <p>BEFORE USING THIS MEDICINE:</p> <p>OVERDOSE:</p> <p>ADDITIONAL INFORMATION:</p> </td> <td data-bbox="795 579 1084 1395"> <p>74</p> <p>RECEIPT</p> <p>66</p> <p>32a</p> <p>DUPLICATE RECEIPT</p> </td> </tr> </table> | | | <p>GENERIC NAME:</p> <p>COMMON USES:</p> <p>HOW TO USE THIS MEDICINE:</p> <p>CAUTIONS:</p> <p>POSSIBLE SIDE EFFECTS:</p> <p>BEFORE USING THIS MEDICINE:</p> <p>OVERDOSE:</p> <p>ADDITIONAL INFORMATION:</p> | <p>74</p> <p>RECEIPT</p> <p>66</p> <p>32a</p> <p>DUPLICATE RECEIPT</p> |
| <p>GENERIC NAME:</p> <p>COMMON USES:</p> <p>HOW TO USE THIS MEDICINE:</p> <p>CAUTIONS:</p> <p>POSSIBLE SIDE EFFECTS:</p> <p>BEFORE USING THIS MEDICINE:</p> <p>OVERDOSE:</p> <p>ADDITIONAL INFORMATION:</p> | <p>74</p> <p>RECEIPT</p> <p>66</p> <p>32a</p> <p>DUPLICATE RECEIPT</p> | | | |

Fig. 4

00750825-011201



00760075 041204




Fig.8